

AUTOMATIC STRAPPING MACHINE (CHALI TAIWAN)



MODEL	PARAMETER
MAX. STRAP SIZE (MM)	W850 X H600MM
MIN. STRAP SIZE (MM)	W200 X H30
STRAPPING SPEED (SECONDS)	2 .15
STRAP WIDTH (MM)	9 OR 12
STRAP FORCE (NEWTON)	25 - 700
WORKING TABLE HEIGHT (MM)	830
POWER SOURCE (V/HZ)	440 / 50, 0.1.2HP
POWER (W)	1050
EXTERNAL DIMENSION (MM)	L1645 X W670 X 1535
WEIGHT (KG)	300

AUTO FLAP WITH STRAPPING COMBO (TAIWAN MAKE)



MODEL	PARAMETER
VOLTAGE (V/HZ)	AC 220/50 110/60
MAXIMUM CARTON SIZE (LXWXH)(MM)	550X500X500
MINIMUM CARTON SIZE (LXWXH)(MM)	200X150X110
SPEED (M/MIN)	22-25 CARTONS
AVAILABLE ADHESIVE TAPE	BOPP, PVC ADHESIVE TAPE
HEIGHT OF TABLE (MM)	600-700
WIDTH OF ADHESIVE TAPE (MM)	3 INCH
AIR COMPRESSOR	04-06
POWER(W)	260

AUTOMATIC STRAPPING & TAPING MACHINE COMBO (Chali Taiwan)



MODEL	PARAMETER
VOLTAGE (V/Hz)	AC 380/50 220/50 110/60
GROSS POWER (W)	1050
MAX. CARTON SIZE (L× W×H) (MM)	600×500×500
MIN. CARTON SIZE (L× W×H) (MM)	300×130×180
SPEED (M/MIN)	16
PRODUCTIVE CAPACITY (PCS/H)	600
HEIGHT OF TABLE (MM)	750
EXTERNAL DIMENSIONS (L×W×H) (MM)	2650×1420×1565
NET WEIGHT (KG)	385

SEMI - AUTOMATIC STRAPPING MACHINE REGULAR HIGH TABLE



MODEL	PARAMETER
MAX. STRAP SIZE (MM)	NOT STIPULATED
MIN. STRAP SIZE (MM)	60 X 30
STRAPPING SPEED (SECONDS)	1.5
STRAP WIDTH (MM)	9/12/15
STRAP FORCE (NEWTON)	450
WORKING TABLE HEIGHT (MM)	750
POWER SOURCE (V/HZ)	220 / 50, ¼ HP
EXTERNAL DIMENSION (MM)	L900 X D580 X H750
WEIGHT (KG)	90

SEMI - AUTOMATIC STRAPPING MACHINE REGULAR LOW TABLE



MODEL	PARAMETER
MAX. STRAP SIZE (MM)	NOT STIPULATED
MIN. STRAP SIZE (MM)	60 X 30
STRAPPING SPEED (SECONDS)	1.5
STRAP WIDTH (MM)	9/12/15
STRAP FORCE (NEWTON)	450
WORKING TABLE HEIGHT (MM)	500
POWER SOURCE (V/HZ)	220 / 50, ¼ HP
EXTERNAL DIMENSION (MM)	L900 X D580 X H500
WEIGHT (KG)	80

SEMI - AUTOMATIC STRAPPING MACHINE CHALI TAIWAN LOW TABLE



MODEL	PARAMETER
CYCLE TIME	1.5 SEC/STRAP
TENSION RANGE	15-45 KGS
SEALING METHOD	HEATING ELEMENT
STRAP WIDTH (MM)	9/12/15
REEL INSIDE DIAMETER	200MM
TABLE HEIGHT	500MM
POWER SUPPLY	220 / 50/1HP
POWER CONSUMPTION	0.5 KW

PALLET STRAPPING MACHINE



MODEL	PARAMETER
STRAP WIDTH	9- 15 MM
SPEED	1.5 SEC/ STRAPS
POWER SUPPLY	220 V SINGLE PHASE
POWER CONSUMPTION	0.65 KW
MACHINE TENSION	450 NEWTONS
MACHINE DIMENSION (L * W * H) MM	550 * 700 * 1300 MM
WEIGHT (KG)	100 KG

Carton Sealer With Flap Folder (Hualian)



MODEL	PARAMETER
Voltage(V/Hz)	AC 220/50 110/60
Maximum Carton Size(LxWxH)mm	600x500x500
Minimum Carton Size(LxWxH)mm	180x180x160
Speed (m/min)	22m/min (25 cortons/min)
Available Adhesive tape	BOPP, PVC adhesive tape
Height of Table (mm)	600-750
Width of Adhesive Tape (mm)	48, 60, 76 (optional)
External Dimensions (LxWxH) (mm)	830x920x(1450-1600)
Weight(kg)	250
Air Compressor	04-06
Power(w)	260

Carton Sealer 3 Inch Head Top And Bottom (Regular)



MODEL	PARAMETER
Voltage (V/Hz)	220 / 50
Maximum Carton Size (WxH) mm	500 x 600
Minimum Carton Size (WxH) mm	140 x 150
Speed (m/min.)	18
Available Adhesive Tape	BOPP, water free adhesive tape, PVC adhesive tape
Height of Table (mm)	580 x 780
Width of Adhesive Tape (mm)	36, 48,60
Size (LxWxH) mm	1800 X 706 x(1380 - 1580)
Weight (kg)	120
Air Compressor	NA

Corton Erector




MODEL	PARAMETER
Type	Carton Packaging Machinery
Automatic Grade	Automatic
Gas Source	6-7kg
Conveyor Speed	10-12cartons/Min
Control System	PLC
Table Height	620mm
Control Panel	Touch Screen
Voltage	110-240V 1phase 50/60Hz
Transport Package	Wooden Case
Specification	2100*1350*1470mm
Trademark	kopect Enterprises

Automatic Carton Sealer & Strapping Machine




MODEL	PARAMETER
Packing Speed	6ctns/min
Carton Size	L200~600×W150~500×H150~500mm
Power Supply	380V- 50/60HZ- 3
Phase Power	240W
Adhesive Tape Width	48/60/75mm
Table Height	720-870mm
Machine Dimension	L300×W850×H1350mm
Machine Weight	140kg

EDGE Carton Sealer



MODEL	PARAMETER
Voltage (V/Hz)	AC 220/50, 110/60
Power (W)	850
Air Compressor (Mpa)	0.5~0.6
Max. Carton Size (L×W×H)(mm)	500×500×500
Min. Carton Size (L×W×H)(mm)	320×200×180
Speed (m/min)	20 m/min (10 cartons/min)
Adhesive Tape Materials	BOPP, PVC adhesive tape, water-free adhesive tape
Height of Table (mm)	750
Width of Adhesive Tape (mm)	60, 76 (optional)
Package Weight (kg)	2.5-30
External Dimensions (L×W× H)(mm)	1955×1060×1510
Net Weight (kg)	400

Carton Sealer With In-Out Conveyor (chali Taiwan)



MODEL	PARAMETER
Power Supply :	1 Phase 110V/220V/240V
Packing Size :	Max.: L∞ x W500 x H500 mm Min.: L150 x W170 x H110 mm
Tape Width :	50 mm (2") or 76 mm (3")
Working Table Height :	570~770 mm (Adjustable)
Sealing Capacity :	20 Cartons per minute (Carton: L500 mm, Power: 60 HZ)
Dimensions :	L1052 x W755 x H1430 mm (with optional extensive working table)
Net Weight :	133 Kg