



PRODUCT CATALOGUE

Manufacturing Company
Of All Kind
L-Sealer Machine

L - Sealer Machine



Model	Kopack
Voltage (V/Hz)	AC 220/50
Power (kw)	1.2
Packing speed (pcs/h)	800~1200
Max packaging dimension (L×W×H) (mm)	450×400×300
Max sealing dimension (L×W) (mm)	500×450
Dimension (L×W×H) (mm)	1400×700×985
Net weight (kg)	110
Body	Powder coated (M.S. TYPE)

Semi Automatic L – Sealer Machine



Model	Kopack
Voltage (V/Hz)	AC 220/50 110/60
Power (kw)	1.2
Packing speed (pcs/h)	800~1200
Max packaging dimension (L×W×H) (mm)	450×400×300
Max sealing dimension (L×W) (mm)	500×450
Dimension (L×W×H) (mm)	1400×700×985
Net weight (kg)	110
Body	Powder coated (M.S. TYPE)

Pneumatic Semi Automatic L – Sealer Machine



Model	Kopack
Voltage (V/Hz)	AC 220/50 110/60
Power (kw)	1.2
Packing speed (pcs/h)	800~1200
Max packaging dimension (L×W×H) (mm)	450×400×300
Max sealing dimension (L×W) (mm)	500×450
Dimension (L×W×H) (mm)	1400×700×985
Net weight (kg)	110
Body	Powder coated (M.S. TYPE)