


# KOPACK

PACKAGING WITH SMART WAY

ISO9001:2015



## PRODUCT CATALOGUE

**Manufacturing  
Company  
of all kinds  
Automatic Pouch  
Packing Machines**

**Will Pack:-** 1Gm to 200Gm Depends on Nature of Product

**Applicable For:-** Spices, Herb, Ground Coffee, Cosmetic Powders, Chemicals, Pharmaceuticals, Detergent, Salt Etc.

**Speed:-** 25–60 Pouches/min. (Accord to Product)

**Granule:-** Nuts, Coal, Sand, Rice, Coffee, Tobacco, Pulses, Grains, Fertilizer Etc.

**Speed:-** 30–120 Pouches/min. (Accord to Product)

### Technical Specifications :-

Capacity	10gm to 200gm
Filling System	Cup Filler
Filling Accuracy	+/- 0.1 % Depends On Nature of Product
Sealing Type	Center Seal / 4 Side Seal, 3 Side Seal
Packing Material	Laminated Film
Contact Part	SS-304/ SS- 306
Dimension	2.5 X 3 X 5.5 Ft (L X W X H)
Power	220 Volte Single Phase
Model No	SE-118



### FFS With Liquid Filler-Rotating/Clock/Jhula Pump

**Applicable for:-** Oil, Sauces, Puree, Syrups, Cosmetic Toner, Vegetable Oil, Alcohol, Wines, Rubbing Alcohol, Pharmacy Liquids, Fertilizer Liquid, Chemical Liquid, Shampoo Etc. (Up To 50 ml)

**Speed:-** 25-50 Pouches/min. (Accord to Product)

#### TECHNICAL SPECIFICATIONS :-

Capacity	Up To 50ml Filling
Filling Accuracy	+/- 0.1 % Depends on Nature of Product
Sealing Type	Center Seal / 4 Side Seal, 3 Side Seal
System	Paste Filler
Packing Material	Laminated Film
Contact Part	SS-304/ SS - 306
Dimension	2.5 X 3 X 5.5 Ft (L X W X H)
Power	220 Volte Single Phase
Optional	Batch Coding Device
Machine Weight	300kg (Approx.)
Model No	SE-118F



### FFS With Block Pump For Paste

**Applicable for:** Paste Clarified Butter/Ghee, Grease, Honey, Cream (Any Product in Cream Form), Lotion, Ginger Garlic Paste (Any Kind of Paste)

**Best For:** Any Kind of Thick Paste

**Speed:** 25 - 40 Pouches/min. (Accord to Product)

#### TECHNICAL SPECIFICATIONS :-

Capacity	Up To 50 Mi Filling
Filling Accuracy	+/- 0.1 % Depends on Nature of Product
Sealing Type	Center Seal / 4 Side Seal, 3 Side Seal
System	Paste Filler
Packing Material	Laminated Film
Contact Part	SS-304/SS - 306
Dimension	2.5 X 3 X 5.5 Ft (L X W X H)
Power	220 Volte Single Phase
Optional	Batch Coding Device
Machine Weight	300kg (Approx.)
Model No.	SE-118F



# FULLY PNEUMATIC POUCH PACKAGING MACHINE

## Fully Pneumatic with Cup Filler

**Will Pack:-** 10gm To 1kg

**Applicable For Powder:-** Ground Spices, Herbs, Ground Coffee, Cosmetic Powders, Chemicals, Pharmaceuticals, Detergent Etc. (Suitable for Grounded Powder Only)

**Speed:-** 25-35 Pouches/min. (Accord to Product)

**Granule:-** Semolina (Suji), Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices, Tea, Green Tea, Blended Tea, Gram (Channa), Chick Pea (Chole), Black Chick Pea (Rajma), Oatmeals (Dalia), Oats, Corn Flakes, Muesli, Wheat Flakes Etc.

**Speed:-** 25-40/min. (Accord to Product)

**Fryums:-** Kurkure, Namkeen, Snacks, Rice Fryums, Masala Rings, Masala Penne, Pasta Fryums, Namkeen , Frymes , Pop Corn Etc.

**Speed:** 28-35 Pouches/min. (Accord to Product)

### TECHNICAL SPECIFICATIONS :-

Filling System	Volumetric Cup Filler
Type of Sealing	Center Seal (By Pneumatic) / 3 Side Seal
Packing Material	Powder, Grains, Frymes
Film Roll Type	Laminated Film
Speed	Varies with the nature of product & Filling range
Power	1.5 - 2kw 230V / AC / Single Phase
Optional	Batch Coding Device, Gas Flushing
Machine Size	3.5 x 3.5 x 6.5 Ft (L x W x H) (Approx.)
Machine Weight	350kg. (Approx.)
Model No.	SE – 118 F



**NOTE (Chargeable Setting) :-** 1 Hp. 3 Phase Crompton/ Godrej motor with high speed gear box, delta brand Ac drive

**(SPEED CAN BE INCREASED OR DECREASED BY DELTA AC DRIVE)**

- Heat Embossing (Coding)
- Also available in four side sealing

## 2. Fully Pneumatic With Liquid Filler

### Fully Pneumatic with Liquid Filler Rotating/Clock/jhula Pump

**Applicable For:-** Liquid Oil, Sauces, Puree, Syrups, Cosmetic Toner, Vegetable Oil, Alcohol, Wines, Rubbing Alcohol, Pharmacy Liquids, Fertilizer Liquid, Chemical Liquid, Shampoo Etc. (Up To 500 ml)

**Speed:-** 25–35 Pouches/min. (Accord to Product)

#### TECHNICAL SPECIFICATIONS :-

Filling System	Liquid Filler
Capacity	Up To 500 Mi
Filling Accuracy	+/- 0.1 % Depends on Nature of Product
Packing Material	Laminated Film
Type of Sealing	Center Seal (By Pneumatic) / 3 Side Seal
Speed	Varies with The Nature of Product & Filling Range
Power	3 Kw 230v / Ac / Single Phase
Optional	Batch Coding Device
Machine Size	3.5 X 3.5 X 6.5 Ft (L X W X H) (Approx.)
Machine Weight	350kg. (Approx.)
Model No.	SE – 118 F



**NOTE (Chargeable Setting) :-** 1 Hp. 3 Phase Crompton/Godrej Motor With High speed Gear Box , DELTA Brand Ac Drive

- SPEED CAN BE INCREASED OR DECREASED BY DELTA AC DRIVE)
- Heat Embossing (Coding)
- ALSO AVAILABLE IN FOUR SIDE SEALING

### Fully Pneumatic With Block Pump For Paste

**Applicable For:-** Clarified Butter/Ghee, Grease, Honey, Cream (Any Product in Cream Form), Lotion, Ginger Garlic Paste (Any Kind of Paste)

**Best For:-** Any Kind of Thick Paste

**Speed:-** 25–40 Pouches/min.(Accord to Product)



Capacity	Up To 1000 Gm
Filling System	Paste Filler
Filling Accuracy	+/- 0.1 % Depends on Nature of Product
Packing Material	Laminated Film
Type of Sealing	Center Seal (By Pneumatic) / 3 Side Seal
Speed	Varies with the nature of product & Filling range
Power	3 Kw 230v / Ac / Single Phase
Optional	Batch Coding Device
Machine Size	3.5 x 3.5 x 6.5 Ft (L x W x H) (Approx.)
Machine Weight	350kg. (Approx.)
Model No.	SE – 118 F

• **NOTE (Chargeable Setting):-** 1Hp. 3 Phase Crompton/Godrej Motor with High Speed Gear Box, DELTA Brand Ac Drive (SPEED CAN BE INCREASED OR DECREASED BY DELTA AC DRIVE)

- Heat Embossing (Coding)
- Also available in four side sealing

### 3. Fully Pneumatic with Auger Filler

#### Fully Pneumatic with Clutch & Break Auger Filler

**Applicable For :-** Milk Powder, Spices, Herbs, Coffee, Cosmetic Powders, Chemical, Pharmaceuticals, Etc. (SUITABLE FOR FINE MESH POWDER ONLY)

**Speed:-** 25-35 Pouches /min. (Accord to Product)

#### TECHNICAL SPECIFICATIONS :-

Capacity	Up to 500 GM
Filling System	Auger Filler
Filling Accuracy	+/- 0.5 - 1.5 % Depends on Nature of Product
Packing Material	Laminated Film
Type of Sealing	Center Seal (By Pneumatic) / 3 Side Seal
Speed	Varies with The Nature of Product & Filling Range
Power	3KW 440 V / AC / Three Phase
Optional	Batch Coding Device
Machine Size	3.5 X 3.5 X 9 Ft (L X W X H) (Approx.)
Machine Weight	550kg. (Approx.)
Model No.	SE – 118 F



#### Fully Pneumatic with Servo Auger Filler

**Applicable For -** Milk Powder, Spices, Herb, Coffee, Cosmetic Powders, Chemicals, Pharmaceuticals, Etc. (SUITABLE FOR FINE MESH POWDER ONLY)

**Speed:** 30-40 Pouches/min.(accord to product)

Capacity	Up to 500 GM
Filling System	Auger Filler
Filling Accuracy	+/- 0.5 - 1.5 % Depends on Nature of Product
Packing Material	Laminated Film
Type of Sealing	Center Seal (By Pneumatic) / 3 Side Seal
Speed	Varies with The Nature of Product & Filling Range
Power	3KW 440 V / AC / Three Phase
Optional	Batch Coding Device
Machine Size	3.5 X 3.5 X 9 Ft (L X W X H) (Approx.)
Machine Weight	500 kg. (Approx.)
Model No.	SE – 118 F



- **NOTE (Chargeable Setting):-** 1Hp. 3 Phase Crompton /Godrej Motor with High Speed Gear Box, DELTA Brand Ac Drive (SPEED CAN BE INCREASED OR DECREASED BY DELTA AC DRIVE)
- **Heat Embossing (Coding)**
- **Also available in four side sealing**

## 4. Fully Pneumatic with Weighing Filler Machines

### Fully Pneumatic with Single Head Weighing Pouch Packaging Machine

**Applicable For:-** Chips, Kurkure, Namkeen, Snacks, Rice Frymes, Masala Rings, Masala Penne, Pasta Frymes, Namkeen Fryums , Pop Corn Etc.

**Speed:-** 04 - 09 Pouches Per Min

**Granule:-** Nuts, Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices Tea, Green Tea, Blended Tea.

**Speed:-** 04 - 09 Pouches Per Min (Accord to Product)

#### TECHNICAL SPECIFICATIONS :-

Capacity	Up To 1000 Gm (Accord to Product)
Filling System	Weighing Filler
Filling Accuracy	+/- 0.5 - 1 % Depends on Nature of Product
Packing Material	Laminated Film
Type of Sealing	Center Seal (By Pneumatic) / 3 Side Seal
Speed	Varies with The Nature of Product & Filling Range
Power	2 Kw 230 V / Ac / Single Phase Model No. SE - 118 F
Optional	Batch Coding Device
Machine Size	3.5 X 3.5 X 8 Ft (L X W X H) (Approx.)
Machine Weight	400kg. (Approx.)



- **NOTE (Chargeable Setting)**
- 1Hp. 3 Phase Crompton/Godrej Motor with high speed Gear Box , DELTA Brand Ac Drive (MACHINE SPEED CAN BE INCREASED OR DECREASED BY DELTA AC DRIVE )
- Heat embossing (Coding)
- ALSO AVAILABLE IN FOUR SIDE SEALING

### Fully Pneumatic with Double Head Weighing Pouch Packaging Machine

**Applicable For:-** Chips, Kurkure, Namkeen, Snacks, Rice Fryums, Masala Rings, Masala Penne, Pasta Fryums, Namkeen Frymes, Pop Corn Etc.

**Speed:-** 08-14 Pouches Per Min

(Accord to Product with Weight Accuracy)

**Granule:-** Nuts, Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices Tea, Green Tea, Blended Tea. Speed: 08-14 Pouches/min. (Accord to Product)

#### TECHNICAL SPECIFICATIONS :-

Capacity	Up To 1000 Gm (Accord to Product)
Filling System	Weighing Filler
Filling Accuracy	+/- 0.5 - 1 % Depends on Nature of Product
Packing Material	Laminated Film
Type of Sealing	Center Seal (By Pneumatic) / 3 Side Seal
Speed	Varies with The Nature of Product & Filling Range
Power	3KW 440 V / AC / Three Phase
Optional	Batch Coding Device
Machine Size	3.5 X 3.5 X 9.5 Ft (L X W X H) (Approx.)
Machine Weight	450kg. (Approx.)
Model No.	SE - 118 F



- **NOTE (Chargeable Setting)**
- Hp. 3 Phase Crompton/Godrej Motor with high speed Gear Box , DELTA Brand Ac Drive (MACHINE SPEED CAN BE INCREASED OR DECREASED BY DELTA AC DRIVE )
- Heat Embossing (Coding)
- ALSO AVAILABLE IN FOUR SIDE SEALING

## Fully Pneumatic with Four Head Weighing Pouch Packaging Machine

**Applicable For** – Chips, Kurkure, Namkeen, Snacks, Rice Fryums, Masala Rings, Masala Penne, Pasta Fryumes, Namkeen Fryums, Popcorn.

**Speed:** 12 – 22 Pouches Per Min

**Granule:** Nuts, Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices Tea, Green Tea, Blended Tea, Etc.

**Speed:** 12 – 22 Pouches/min. (Accord to Product)

### TECHNICAL SPECIFICATIONS :-

Capacity	Up To 1000 Gm (Accord to Product)
Filling System	Weighing Filler
Filling Accuracy	+/- 0.5 - 1 % Depends on Nature of Product
Packing Material	Laminated Film
Type of Sealing	Center Seal (By Pneumatic) / 3 Side Seal
Speed	Varies with The Nature of Product & Filling Range
Power	3 Kw 230 V / Ac / Single Phase
Optional	Batch Coding Device
Machine Size	3.5 X 3.5 X 11.5 Ft (L X W X H) (Approx.)
Machine Weight	500 Kg. (Approx.)
Model No.	SE – 118 F



- **NOTE (Chargeable Setting)**
- **Hp. 3 Phase Crompton/Godrej motor with high speed gear Box DELTA brand Ac drive (MACHINE SPEED CAN BE INCREASED OR DECREASED BY DELTA AC DRIVE )**
- **Heat Embossing (Coding)**
- **ALSO AVAILABLE IN FOUR SIDE SEALING**

# COLLAR MACHINE

## Collar With Cup Filler Pouch Packaging Machine

**Applicable For:** Ground Spices, Herbs, Ground Coffee, Cosmetic Powders, Chemicals, Pharmaceuticals, Salt, Detergent Etc.

**Will Pack:** 500gm To 1kg

**Speed:** 35-40 Pouches /min. (Accord to Product)

**Granule:** Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices Tea, Green Tea, Blended Tea, Gram (Chana), Chick Pea (Chole), Black Chick Pea (Rajma), Corn Flakes, Muesli, Wheat Flakes, Oats, Oatmeal's (Dalia) Etc.

**Will Pack:** 500gm To 2kg

**Speed:** 35-55 Pouches/min.(Accord to Product)

2kg 20-25 Pouches /min. (Accord to Product)

5kg 15-20 Pouches/min. (Accord to Product)

**Frames:** Kurkure, Namkeen, Snacks, Rice frames, Masala Rings, Masala Penne, Pasta, Frames, Namkeen, Frames, Pop Corn Etc.

**Will Pack:** 10gm To 100gm

**Speed:** 40-45 Pouches Per Min (Accord To Product)

**Note:** Best For Leak Proof Pouches

**Model No:** SE – 118 F

### TECHNICAL SPECIFICATIONS :-

Filling System	Volumetric Cup Filler
Type Of Sealing	Center Seal
Film Roll Type	Laminated Film
Speed	Varies With The Nature Of Product & Filling Range
Power	3 Kw 230v / Ac / Single Phase
Optional	Batch Coding Device, Gas Flushing
Machine Size	6.5 X 4.5 X 8Ft (L X W X H)
Machine Weight	550kg. (Approx.)



## Collar Type Servo Auger Pouch Packaging Machine

**Will Pack:** 500gm to 5kg

**Applicable For:** Besan (Gram Flour), Milk Powder, Protein Powder, Flour, Spices, Herbs, Ground Coffee, Cosmetic Powders, Chemical, Pharmaceuticals, Corn Starch, All Purpose Flour, Any Fine Powders of 500 To 1kg

**Speed:** 30-40 Pouches /min. (Accord To Product)

2kg 17-20 Pouches/min. (Accord To Product)

5kg 12-15 Pouches/min. (Accord To Product)

**Note:** Best For Leak Proof Pouches

### TECHNICAL SPECIFICATIONS :-

Filling System	Servo Auger Filler
Type Of Sealing	Center Seal
Film Roll Type	Laminated Film
Speed	Varies With The Nature Of Product & Filling Range
Power	3-4 Kw 440 V / Ac / Three Phase
Optional	Batch Coding Device, Gas Flushing
Machine Size	6.5 X 4.5 X 9 – 10.5 Ft (L X W X H)
Machine Weight	550 – 850 kg. (Approx.)
Model No.	SE- 118 F



## Collar With Cultch & Break Auger Pouch Packaging Machine

**Will Pack:** Up to 500gm

**Applicable For:** Besan (Gram Flour), Milk Powder, Protein Powder, Flour, Spices, Herbs, Ground Coffee, Cosmetic Powders, Chemical, Pharmaceuticals, Corn Starch, All Purpose Flour, Any Fine Powders.

**Speed:** 25-40 Pouches /min.

**Note:** Best For Leak Proof Pouches

### TECHNICAL SPECIFICATIONS :-

Filling System	Cultch & Break Auger Filler
Type Of Sealing	Center Seal
Film Roll Type	Laminated Film
Speed	Varies With The Nature Of Product & Filling Range
Power	3-4 Kw 440 V / Ac / Three Phase
Optional	Batch Coding Device, Gas Flushing
Machine Size	6.5 X 4.5 X 9 – 10.5Ft (L X W X H)
Machine Weight	650kg. (Approx.)



## Collar With Weighing Filler Pouch Packaging Machine

### Collar With Single Head Weighing Filler Pouch Packaging Machine

**Applicable For:** Chips, Kurkure, Snacks, Rice Frum's, Masala Rings, Masala Penne, Pasta Frum's, Namkeen Frum's, Pop Corn Etc.

**Will Pack:** 10gm to 100gm

**Speed:** 08-10 Pouches /min. (Accord To Product With Weight Accuracy)

**Granule:** Nuts, Namkeen, Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices Tea, Green Tea, Blended Tea, Vermicelli (Sevak) Etc.

**Speed:** 05-10 Pouches /min. (Accord to Product)

**Will Pack:** 10gm to 1kg

**Note:** Best for Leak Proof Pouches

#### TECHNICAL SPECIFICATIONS :-

Filling System	Single Head Weigh Filler
Type Of Sealing	Center Seal
Film Roll Type	Laminated Film
Speed	Depend on the nature of the product
Power	3.5 KW
Optional	Batch Coding Device, Z Elevator
Machine Size	6.5 X 4.5 X 8 Ft (L X W X H)
Machine Weight	550kg. (Approx.)
Model No. SE - 118 F	SE - 118 F



### Collar With Double Head Weighing Filler Pouch Packaging Machine

**Applicable For:** Chips, Kurkure, Snacks, Rice Frum's, Masala Rings, Masala Penne, Pasta Frum's, Namkeen Frum's, Pop Corn Etc.

**Will Pack:** 10gm to 100gm

**Speed:** 13-14 Pouches/min. (Accord to Product with Weight Accuracy)

**Granule:** Nuts, Namkeen, Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices Tea, Green Tea, Blended Tea, Vermicelli (Sevak) Etc.

**Speed:** 08-14 Pouches /min. (Accord to Product)

**Will Pack:** 10gm to 1kg

**Note:** Best for Leak Proof Pouches

#### TECHNICAL SPECIFICATIONS :-

Filling System	Double head Weigh Filler
Type Of Sealing	Center Seal
Film Roll Type	Laminated Film
Speed	Depend on the nature of the product
Power	3.5 KW
Optional	Batch Coding Device, Z Elevator
Machine Size	6.5 X 4.5 X 9 Ft (L X W X H)
Machine Weight	550kg. (Approx.)
Model No.	SE-118 F



## Collar With Four Head Weighing Filler Pouch Packaging Machine

**Applicable For:** Chips, Kurkure, Snacks, Rice Frum's, Masala Rings, Masala Penne, Pasta Frum's, Namkeen Frum's, Pop Corn Etc.

**Will Pack:** 10gm To 100gm

**Speed:** 18-20 Pouches/min. (Accord To Product With Weight Accuracy)

**Granule:** Nuts, Namkeen, Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices Tea, Green Tea, Blended Tea, Vermicelli (Sevak) Etc.

**Speed:** 14-20 Pouches Per Min. (Accord to Product)

**Will Pack:** 10Gm to 1Kg

**Note:** Best for Leak Proof Pouches



### TECHNICAL SPECIFICATIONS :-

Filling System	Four head Weigh Filler
Type Of Sealing	Center Seal
Film Roll Type	Laminated Film
Speed	Depend on the nature of the product
Power	4 KW
Optional	Batch Coding Device, Z Elevator
Machine Size	6.5 X 4.5 X 11 Ft (L X W X H)
Machine Weight	600kg. (Approx.)

## Collar With Multy Head Weighing Filler Pouch Packaging Machine

**Applicable For:** Chips, Kurkure, Snacks, Rice Frum's, Masala Rings, Masala Penne, Pasta Frum's, Namkeen Frum's, Popcorn Etc.

**Will Pack:** 10gm To 100gm


**Speed:** 45-55 Pouches /min. (Accord To Product With Weight Accuracy)

**Granule:** Nuts, Nankeen, Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices, Black Paper, Cardamom, Tea, Green Tea, Blended Tea, Lollipop, Vermicelli (Sevak) Etc.

**Speed:** 35-60 Pouches/min. (Accord to Product)

**Will Pack:** 10gm to 1kg

**Note:** Best for Leak Proof Pouches



### TECHNICAL SPECIFICATIONS :-

Filling System	Ten Head Weigh Filler
Type Of Sealing	Center Seal
Film Roll Type	Laminated Film
Speed	Depend on the nature of the product
Power	5 KW
Optional	Batch Coding Device, Z Elevator
Machine Size	6.5 X 4.5 X 11 Ft (L X W X H)
Machine Weight	550kg. (Approx.)

**Will Pack:** 05gm to 1kg

**Applicable For:** Ground Spices, Herbs, Ground Coffee, Cosmetic Powders, Chemical, Pharmaceuticals, Detergent Etc. (Suitable for Grounded Powder Only)

**Speed:** 15-20 Pouches/min. (Accord to Product)

**Granule:** Semolina (Suji), Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices, Tea, Green Tea, Blended Tea, Gram (Channa), Chickpea (Chole), Black Chickpea (Rajma), Oatmeal's (Dalia), Oats, Corn Flakes, Muesli, Wheat Flakes Etc.

**Speed:** 15-20 Pouches/min.(Accord to Product)

### TECHNICAL SPECIFICATIONS :-

Capacity	5gm To 1 Kg
Filling System	Cup Filler
Filling Accuracy	+/- 0.1 % Depends On Nature Of Product
Contact Part	Ss-304/Ss - 306
Dimension	2.5 X 2.5 X 4.5 Ft (L X W X H)
Power	220 Volte Single Phase
Optional	Die Roller Sealing System
Machine Weight	80kg (Approx.)
Model No.	SE - 118 F



## SEMI (Manual) With Weighing Filler Single Head Machine

**Will Pack:** 05gm to 1kg

**Applicable For:** Ground Spices, Herbs, Ground Coffee, Cosmetic Powders, Chemicals, Pharmaceuticals, Detergent Etc.

(Suitable For Grounded Powder Only)

**Speed:** 03-07 Pouches/min. (Accord To Product)

**Fryums:** Chips, Kurkure, Namkeen, Snacks, Rice Fryums, Masala Rings, Masala Penne, Pasta Fryums, Namkeen Fryums, Popcorn Etc.

**Speed:** 04-09 Pouches/min. (Accord To Product With Weight Accuracy)

**Granule:** Nuts, Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices Tea, Green Tea, Blended Tea, Etc.

**Speed:** 04-09 Pouches/min. (Accord to Product)



### TECHNICAL SPECIFICATIONS :-

Capacity	Up To 1000gm ( Accord To Product )
Filling System	Weighing Filler
Filling Accuracy	+/- 0.5 - 1 % Depends On Nature Of Product
Speed	Varies With The Nature Of Product & Filling Range
Power	0.5 Kw 230 V / Ac / Single Phase
Optional	Pneumatic Sealing Unit
Machine Size	3.5 X 3.5 X 6 Ft (L X W X H) (Approx.)
Machine Weight	80kg (Approx.)

## SEMI (Manual) With Weighing Filler Double Head Machine

**Will Pack:** 05gm to 1kg

**Applicable For:** Ground Spices, Herbs, Ground Coffee, Cosmetic Powders, Chemical, Pharmaceuticals, Detergent Etc. (Suitable For Grounded Powder Only)

(Suitable For Grounded Powder Only)

**Speed:** 05-12 Pouches/min. (Accord To Product) Fryums: Chips,

Kurkure, Namkeen, Snacks, Rice Frymes, Masala Rings, Masala Penne, Pasta Frymes, Namkeen Fryums, Popcorn Etc.

**Speed:** 06-14 Pouches/min. (Weight Accuracy) Granule: Nuts, Sand,

Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices Tea, Green Tea, Blended Tea, Etc.

**Speed:** 06-14 Pouches/min. (Accord to Product)



### TECHNICAL SPECIFICATIONS :-

Capacity	Up To 1000gm ( Accord To Product )
Filling System	Weighing Filler
Filling Accuracy	+/- 0.5 - 1 % Depends On Nature Of Product
Speed	Varies With The Nature Of Product & Filling Range
Power	0.5 Kw 230 V / Ac / Single Phase
Optional	Pneumatic Sealing Unit
Machine Size	3.5 X 3.5 X 6 Ft (L X W X H) (Approx.)
Machine Weight	80kg (Approx.)

## SEMI (Manual) With Weighing Filler Four Head Machine

**Will Pack:** 05gm to 1kg

**Applicable For:** Ground Spices, Herbs, Ground Coffee, Cosmetic Powders, Chemicals, Pharmaceuticals, Detergent Etc. (Suitable For Grounded Powder Only)

**Speed:** 08-15 Pouches/min. ( Accord To Product )

**Fryums:** Chips, Kurkure, Namkeen, Snacks, Rice Frymes, Masala Rings, Masala Penne, Pasta Frymes, Nankeen Fryums, Popcorn Etc.

**Speed:** 09-18 Pouches/min. (With Weight Accuracy)

**Granule:** Nuts, Sand, Rice, Coffee, Pulses, Grains, Fertilizer, Raw Spices Tea, Green Tea, Blended Tea, Etc.

**Speed:** 09-18 Pouches/min. (Accord to Product)



### TECHNICAL SPECIFICATIONS :-

Capacity	Up To 1000 gm ( Accord To Product )
Filling System	Weighing Filler
Filling Accuracy	+/- 0.5 - 1 % Depends On Nature Of Product
Speed	Varies With The Nature Of Product & Filling Range
Power	1.5 Kw 230 V / Ac / Single Phase
Optional	Pneumatic Sealing Unit
Machine Size	3.5 X 4 X 7 Ft (L X W X H) (Approx.)
Model No.	SE - 118 F

## SEMI (Manual) With Liquid Filler Machine

### SEMI Liquid Filler - Rotating/Clock/Jhula Pump

**Applicable For:** Oil, Sauces, Puree, Syrups, Cosmetic Toner, Vegetable Oil, Alcohol, Wines, Rubbing Alcohol, Pharmacy Liquids, Fertilizer Liquid, Chemical Liquid, Shampoo Etc. (Up To 1000 ml)

**Speed:** 10-15 Pouches/min. (Accord To Product)

### TECHNICAL SPECIFICATIONS :-

Capacity	Up To 1000ml
Filling System	Liquid Filler
Filling Accuracy	+/- 0.1 % Depends On Nature Of Product
Contact Part	SS-304/SS - 306
Dimension	2.5 X 3.5 X 5 Ft (L X W X H)
Power	1kw, 220 Volte Single Phase
Optional	Pneumatic Sealing Unit
Machine Weight	80kg (Approx.)



## SEMI Liquid Filler by Pneumatic with Block Pump (For Paste)

**Applicable For:** Clarified Butter/Ghee, Grease, Honey, Cream (Any Product In Cream Form), Lotion, Ginger Garlic Paste (Any Kind Of Paste)

**Best For:** Any Kind Of Thick Paste

**Speed:** 10–15 Pouches/min. (Accord To Product)

### TECHNICAL SPECIFICATIONS :-

Capacity	Up To 1000 ml
Filling System	Paste Filler
Filling Accuracy	+/- 0.1 % Depends On Nature Of Product
Contact Part	SS-304/SS – 306
Dimension	2.5 X 3 X 5.5 Ft (L X W X H)
Power	1kw, 220 Volte Single Phase
Optional	Pneumatic Sealing Unit
Machine Weight	70kg (Approx.)



## SEMI Liquid Filler with Imported Pump

**Applicable For:** Favicon, Clarified Butter/Ghee, Grease, Honey, Cream (Any Product In Cream Form), Lotion, Ginger Garlic Paste (Any Kind Of Paste) (Up To 1000 ml)

**Best For:** Any Kind Of Thick Paste

**Speed:** 10–15 Pouches/min. (Accord To Product)

Liquid, Oil, Sauces, Puree, Syrups, Cosmetic Toner, Vegetable Oil, Alcohol, Wines, Rubbing Alcohol, Pharmacy Liquids, Fertilizer Liquid, Chemical Liquid, Shampoo Etc. (Up To 1000 ml)

**Speed:** 10–15 Pouches/min. (Accord To Product)

### TECHNICAL SPECIFICATIONS :-

Capacity	Up To 1000 ml
Filling System	Paste/Liquid Filler
Filling Accuracy	+/- 0.1 % Depends On Nature Of Product
Contact Part	Ss-304/Ss – 316
Dimension	2.5 X 3 X 5 Ft (L X W X H)
Power	1kw, 220 Volte Single Phase
Optional	Pneumatic Sealing Unit
Machine Weight	70kg (Approx.)
Model No.	SE – 118 F



## SEMI Auger Filler with Clutch & Break

**Applicable For:** Clarified Butter/Ghee, Grease, Honey, Cream (Any Product In Cream Form), Lotion, Ginger Garlic Paste (Any Kind Of Paste) (Up To 1000ml)

**Best For:** Any Kind Of Thick Paste

**Speed:** 10–15 Pouches/min. (Accord To Product) Liquid, Oil, Sauces, Puree, Syrups, Cosmetic Toner, Vegetable Oil, Alcohol, Wines, Rubbing Alcohol, Pharmacy Liquids, Fertilizer Liquid, Chemical Liquid, Shampoo Etc. (Up To 1000 ml)

**Speed:** 10–15 Pouches/min. (Accord To Product)

### TECHNICAL SPECIFICATIONS :-

Capacity	Up To 500gm
Filling System	Auger Filler
Filling Accuracy	+/- 2-3 % Depends On Nature Of Product
Speed	Varies With The Nature Of Product & Filling Range
Power	1kw 440V / AC / Three Phase
Machine Size	2.5 X 3 X 5.5 Ft (L X W X H) (Approx)
Machine Weight	110kg. (Approx.)



## SEMI Auger Filler with Servo

**Applicable For:** Milk Powder, Spices, Herbs, Coffee, Cosmetic Powders, Chemical, Pharmaceuticals, Etc. (SUITABLE FOR FINE MESH POWDER ONLY)

**Speed:** 15-18 Pouches/min.( Accord To Product)

### TECHNICAL SPECIFICATIONS :-

Capacity	Up to 2000gm
Filling System	Auger Filler
Filling Accuracy	+/- 0.5 - 1.5 % Depends on Nature Of Product
Speed	Varies With The Nature Of Product & Filling Range
Power	3 KW 440 V / AC / Three Phase
Machine Size	3.5 X 3.5 X 9 Ft (L X W X H) (Approx.)
Machine Weight	100 kg. (Approx.)



## MILK PACK MACHINE

### TECHNICAL SPECIFICATIONS :-

Capacity	Up to 500 ml
Filling System	Liquid Filler
Filling Accuracy	+/- 2.3 ml Depends on Nature Of Product
Speed	Varies With The Nature Of Product & Filling Range
Power	1.5kw 230V / AC / Single Phase
Machine Size	2.5 X 2.5 X 5.5 Ft (L X W X H) (Approx.)
Machine Weight	300 kg. (Approx.)



UP To 500 ml  
Speed: 30-32 Pouches Per Min  
(accord to product)

## HORIZONTAL FLOWRAP POUCH



**Applicable For:** Soap, Biscuits, Chikki, Chocolate, Cookies, Ice Cream etc.

**Filling System:** Manual Feeding

### TECHNICAL SPECIFICATIONS :-

Speed	40 - 45 Pouch/min. Varies with The Nature of Product & Filling Range
Power	2.5 kw 220V / AC / Single Phase
Machine Size	12 X 3 X 5 Ft (L X W X H) (Approx.)
Machine Weight	350kg. (Approx.) With Alpha Brand 220v. Panel with 220v PC, Motor with 24V, Panasonic Photocell, 1Hp. Three Phase Crompton Motor with Heavy Duty Gearbox with 1 Hp. Delta AC Drive.


## MULTI ROW FAMILY PACK

Speed	25-30 Pouch per min Varies with The Nature of Product & Filling Range
Power	3kw 220V / AC / Single Phase
Machine Size	12 X 3 X 5 Ft (L X W X H) (Approx.)
Machine Weight	350kg. (Approx.)



**Applicable For:** Rusk, Biscuits, Cookies, etc.  
**Filling System:** Manual Feeding.


## SCREW FEEDER



**Will Convey:** Powder, Rough Powder

**Power:** Three Phase, 440V

## FEEDING CONVEYOR



**Will Convey:** Powder, Granules – Rice, Tea, Frames (Chips, Kurkure, Namkeen, Snacks, etc.)  
**Power:** Three Phase, 440V

## Z ELEVATOR



**Will Convey:** Powder, Granules – Rice, Tea, Frames (Chips, Kurkure, Namkeen, Snacks e.tc.)  
**Power:** Three Phase, 440V  
**Power:** Three Phase, 440V

# BAND SEALER MACHINE



# HOT FOIL CODING , INK CODER, PNEUMATIC CODING



We Promise You An Experience Of Total Satisfaction.  
'Pack With Confidence'



**KOPACK**  
PACKAGING WITH SMART WAY

**Plot No. Asc 17. Ashwin Sector, Near  
Sambhaji Raje Stadium, Opp. SBI Bank,  
New Nashik-422009.**

**+91-9371570877, 8600294024, 8600687271**

**[www.kopac.co.in](http://www.kopac.co.in)**

**[kopackenterprises@gmail.com](mailto:kopackenterprises@gmail.com)**

